VHDL Quick Start

Peter J. Ashenden

The University of Adelaide

Objective

- Quick introduction to VHDL
  - basic language concepts
  - basic design methodology

- Use *The Student's Guide to VHDL* or *The Designer's Guide to VHDL*
  - self-learning for more depth
  - reference for project work

Modeling Digital Systems

- VHDL is for writing models of a system

- Reasons for modeling
  - requirements specification
  - documentation
  - testing using simulation
  - formal verification
  - synthesis

- Goal
  - most reliable design process, with minimum cost and time
  - avoid design errors!

Domains and Levels of Modeling

Structural

Functional

high level of abstraction

low level of abstraction

Geometric

"Y-chart" due to Gajski & Kahn

VHDL Quick Start 4

Domains and Levels of Modeling

Structural

Functional

Algorithm
(behavioral)

Register-Transfer
Language

Boolean Equation

Differential Equation

Geometric

"Y-chart" due to
Gajski & Kahn

Domains and Levels of Modeling

Structural

Functional

Processor-Memory Switch

Register-Transfer

Gate

Transistor

Geometric

"Y-chart" due to
Gajski & Kahn

Domains and Levels of Modeling

Structural

Functional

Polygons

Sticks

Standard Cells

Floor Plan

Geometric

"Y-chart" due to
Gajski & Kahn

Basic VHDL Concepts

- Interfaces

- Behavior

- Structure

- Test Benches

- Analysis, elaboration, simulation

- Synthesis

Modeling Interfaces

- *Entity* declaration
    - describes the input/output *ports* of a module

entity name   *port names*   *port mode (direction)*

```
entity reg4 is
    port ( d0, d1, d2, d3, en, clk : in bit;
            q0, q1, q2, q3 : out bit );
end entity reg4;
```

punctuation

reserved words   *port type*

VHDL-87

- Omit **entity** at end of entity declaration

```
entity reg4 is
    port ( d0, d1, d2, d3, en, clk : in bit;
             q0, q1, q2, q3 : out bit );
end reg4;
```

Modeling Behavior

- *Architecture body*
  - describes an implementation of an entity
  - may be several per entity

- *Behavioral* architecture
  - describes the algorithm performed by the module
  - contains
    - *process statements*, each containing
    - *sequential statements*, including
    - *signal assignment statements* and
    - *wait statements*

Behavior Example

```
architecture behav of reg4 is
begin
    storage : process is
        variable stored_d0, stored_d1, stored_d2, stored_d3 : bit;
    begin
        if en = '1' and clk = '1' then
            stored_d0 := d0;
            stored_d1 := d1;
            stored_d2 := d2;
            stored_d3 := d3;
        end if;
        q0 <= stored_d0 after 5 ns;
        q1 <= stored_d1 after 5 ns;
        q2 <= stored_d2 after 5 ns;
        q3 <= stored_d3 after 5 ns;
        wait on d0, d1, d2, d3, en, clk;
    end process storage;
end architecture behav;
```

VHDL-87

- Omit **architecture** at end of architecture body
- Omit **is** in process statement header

```
architecture behav of reg4 is
begin
    storage : process

        ...
    begin

        ...
    end process storage;
end behav;
```

Modeling Structure

- *Structural* architecture
  - implements the module as a composition of subsystems
  - contains
    - *signal declarations*, for internal interconnections
      - the entity ports are also treated as signals
    - *component instances*
      - instances of previously declared entity/architecture pairs
    - *port maps* in component instances
      - connect signals to component ports
    - *wait statements*

Structure Example

bit0
d_latch
d0 — d   q — q0
        clk

bit1
d_latch
d1 — d   q — q1
        clk

bit2
d_latch
d2 — d   q — q2
        clk

bit3
d_latch
d3 — d   q — q3
        clk

gate
and2
en — a   y — int_clk
clk — b

Structure Example

- First declare D-latch and and-gate entities and architectures

```
entity d_latch is
    port ( d, clk : in bit;  q : out bit );
end entity d_latch;

architecture basic of d_latch is
begin
    latch_behavior : process is
    begin
        if clk = '1' then
            q <= d after 2 ns;
        end if;
        wait on clk, d;
    end process latch_behavior;
end architecture basic;
```

```
entity and2 is
    port ( a, b : in bit;  y : out bit );
end entity and2;

architecture basic of and2 is
begin
    and2_behavior : process is
    begin
        y <= a and b after 2 ns;
        wait on a, b;
    end process and2_behavior;
end architecture basic;
```

Structure Example

- Now use them to implement a register

```
architecture struct of reg4 is
    signal int_clk : bit;
begin
    bit0 : entity work.d_latch(basic)
        port map ( d0, int_clk, q0 );
    bit1 : entity work.d_latch(basic)
        port map ( d1, int_clk, q1 );
    bit2 : entity work.d_latch(basic)
        port map ( d2, int_clk, q2 );
    bit3 : entity work.d_latch(basic)
        port map ( d3, int_clk, q3 );
    gate : entity work.and2(basic)
        port map ( en, clk, int_clk );
end architecture struct;
```

VHDL-87

- Can't directly instantiate entity/architecture pair

- Instead

  - include *component declarations* in structural architecture body

    - templates for entity declarations

  - instantiate components

  - write a *configuration declaration*

    - binds entity/architecture pair to each instantiated component

Structure Example in VHDL-87

- First declare D-latch and and-gate entities and architectures

```
entity d_latch is
    port ( d, clk : in bit;  q : out bit );
end d_latch;


architecture basic of d_latch is
begin
    latch_behavior : process
    begin
        if clk = '1' then
            q <= d after 2 ns;
        end if;
        wait on clk, d;
    end process latch_behavior;
end basic;
```

```
entity and2 is
    port ( a, b : in bit;  y : out bit );
end and2;


architecture basic of and2 is
begin
    and2_behavior : process
    begin
        y <= a and b after 2 ns;
        wait on a, b;
    end process and2_behavior;
end basic;
```

Structure Example in VHDL-87

- Declare corresponding components in register architecture body

```
architecture struct of reg4 is
    component d_latch
        port ( d, clk : in bit;  q : out bit );
    end component;
    component and2
        port ( a, b : in bit;  y : out bit );
    end component;
    signal int_clk : bit;
...
```

Structure Example in VHDL-87

- Now use them to implement the register

```
...
begin
    bit0 : d_latch
        port map ( d0, int_clk, q0 );
    bit1 : d_latch
        port map ( d1, int_clk, q1 );
    bit2 : d_latch
        port map ( d2, int_clk, q2 );
    bit3 : d_latch
        port map ( d3, int_clk, q3 );
    gate : and2
        port map ( en, clk, int_clk );
end struct;
```

Structure Example in VHDL-87

- Configure the register model

```
configuration basic_level of reg4 is
    for struct
        for all : d_latch
            use entity work.d_latch(basic);
        end for;
        for all : and2
            use entity work.and2(basic)
        end for;
    end for;
end basic_level;
```

Mixed Behavior and Structure

- An architecture can contain both behavioral and structural parts
  - process statements and component instances
    - collectively called *concurrent statements*
  - processes can read and assign to signals

- Example: register-transfer-level model
  - data path described structurally
  - control section described behaviorally

Mixed Example

Mixed Example

```vhdl
entity multiplier is
    port ( clk, reset : in bit;
            multiplicand, multiplier : in integer;
            product : out integer );
end entity multiplier;


architecture mixed of mulitplier is

    signal partial_product, full_product : integer;
    signal arith_control, result_en, mult_bit, mult_load : bit;
begin

    arith_unit : entity work.shift_adder(behavior)
        port map ( addend => multiplicand,  augend => full_product,
                    sum => partial_product,
                    add_control => arith_control );

    result : entity work.reg(behavior)
        port map ( d => partial_product,  q => full_product,
                    en => result_en,  reset => reset );
    ...
```

Mixed Example

```
…
multiplier_sr : entity work.shift_reg(behavior)
    port map ( d => multiplier,  q => mult_bit,
               load => mult_load,  clk => clk );

product <= full_product;

control_section : process is
    -- variable declarations for control_section
    -- …
begin
    -- sequential statements to assign values to control signals
    -- …
    wait on clk, reset;
end process control_section;
end architecture mixed;
```

Test Benches

- Testing a design by simulation

- Use a *test bench* model

  - an architecture body that includes an instance of the design under test

  - applies sequences of test values to inputs

  - monitors values on output signals

    - either using simulator

    - or with a process that verifies correct operation

Test Bench Example

```vhdl
entity test_bench is
end entity test_bench;

architecture test_reg4 of test_bench is
    signal d0, d1, d2, d3, en, clk, q0, q1, q2, q3 : bit;
begin
    dut : entity work.reg4(behav)
        port map ( d0, d1, d2, d3, en, clk, q0, q1, q2, q3 );
    stimulus : process is
    begin
        d0 <= '1';  d1 <= '1';  d2 <= '1';  d3 <= '1';  wait for 20 ns;
        en <= '0';  clk <= '0';  wait for 20 ns;
        en <= '1';  wait for 20 ns;
        clk <= '1';  wait for 20 ns;
        d0 <= '0';  d1 <= '0';  d2 <= '0';  d3 <= '0';  wait for 20 ns;
        en <= '0';  wait for 20 ns;
        …
        wait;
    end process stimulus;
end architecture test_reg4;
```

Regression Testing

- Test that a refinement of a design is correct
    - that lower-level structural model does the same as a behavioral model

- Test bench includes two instances of design under test
    - behavioral and lower-level structural
    - stimulates both with same inputs
    - compares outputs for equality

- Need to take account of timing differences

Regression Test Example

```
architecture regression of test_bench is
    signal d0, d1, d2, d3, en, clk : bit;
    signal q0a, q1a, q2a, q3a, q0b, q1b, q2b, q3b : bit;
begin
    dut_a : entity work.reg4(struct)
        port map ( d0, d1, d2, d3, en, clk, q0a, q1a, q2a, q3a );
    dut_b : entity work.reg4(behav)
        port map ( d0, d1, d2, d3, en, clk, q0b, q1b, q2b, q3b );
    stimulus : process is
    begin
        d0 <= '1';  d1 <= '1';  d2 <= '1';  d3 <= '1';  wait for 20 ns;
        en <= '0';  clk <= '0';  wait for 20 ns;
        en <= '1';  wait for 20 ns;
        clk <= '1';  wait for 20 ns;
        …
        wait;
    end process stimulus;

    ...
```

Regression Test Example

```
    …
    verify : process is
    begin
        wait for 10 ns;
        assert q0a = q0b and q1a = q1b and q2a = q2b and q3a = q3b
            report "implementations have different outputs"
            severity error;
        wait on d0, d1, d2, d3, en, clk;
    end process verify;
end architecture regression;
```

Design Processing

- Analysis

- Elaboration

- Simulation

- Synthesis

Analysis

- Check for syntax and semantic errors
  - syntax: grammar of the language
  - semantics: the meaning of the model

- Analyze each *design unit* separately
  - entity declaration
  - architecture body
  - …
  - best if each design unit is in a separate file

- Analyzed design units are placed in a *library*
  - in an implementation dependent internal form
 - current library is called work

Elaboration

- "Flattening" the design hierarchy
  - create ports
  - create signals and processes within architecture body
  - for each component instance, copy instantiated entity and architecture body
  - repeat recursively
    - bottom out at purely behavioral architecture bodies
- Final result of elaboration
  - flat collection of signal nets and processes

Elaboration Example

Elaboration Example

reg4(struct)

bit0
d_latch(basic)

bit1
d_latch(basic)

bit2
d_latch(basic)

bit3
d_latch(basic)

d0 ... q0
d1 ... q1
d2 ... q2
d3 ... q3

d ... q
clk

gate
and2(basic)

en ... a ... y ... int_clk
clk ... b

process with variables
and statements

Simulation

- Execution of the processes in the elaborated model

- Discrete event simulation

  - time advances in discrete steps
  - when signal values change—*events*

- A processes is sensitive to events on input signals

  - specified in wait statements
  - resumes and schedules new values on output signals
    - schedules *transactions*
    - event on a signal if new value different from old value

Simulation Algorithm

- Initialization phase
  - each signal is given its initial value
  - simulation time set to 0
  - for each process
    - activate
    - execute until a wait statement, then suspend
      - execution usually involves scheduling transactions on signals for later times

Simulation Algorithm

- Simulation cycle
  - advance simulation time to time of next transaction
  - for each transaction at this time
    - update signal value
      - event if new value is different from old value
  - for each process sensitive to any of these events, or whose "wait for …" time-out has expired
    - resume
    - execute until a wait statement, then suspend
- Simulation finishes when there are no further scheduled transactions

Synthesis

- Translates register-transfer-level (RTL) design into gate-level netlist

- Restrictions on coding style for RTL model

- Tool dependent
  - see lab notes

Basic Design Methodology